

L Number	Hits	Search Text	DB	Time stamp
1	1345	vegetable adj fibers	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:08
2	28	(vegetable adj fibers) and fibrillated	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:08
3	3	((vegetable adj fibers) and fibrillated) and aramid	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:48
4	510	shives	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:10
5	4	shives and (vegetable adj fibers)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:12
6	787	plant adj fibers	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:12
7	16	(plant adj fibers) and fibrillated	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:12
9	0	((plant adj fibers) and fibrillated) and aramid) and shives	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:13
8	2	((plant adj fibers) and fibrillated) and aramid	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:13
10	136	reinforcing and (vegetable adj fibers)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:13
12	2	L11 and aramid	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:14
13	0	((reinforcing and (vegetable adj fibers)) and fibrillated) and aramid	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:14
11	5	(reinforcing and (vegetable adj fibers)) and fibrillated	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:15
14	714	processing adj fibers	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:15
15	1	(processing adj fibers) and shives	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:16
16	4	(vegetable adj fibers) and shives	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:16
17	365	tin adj sulfide	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:17

18	0	(tin adj sulfide) and (vegetable adj fibers)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:17
19	3821	friction adj lining	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:17
20	0	(friction adj lining) and (vegetable adj fibers)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:17
21	0	(friction adj lining) and shives	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:17
22	3	(friction adj lining) and (tin adj sulfide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:18
23	41	gasket and (vegetable adj fibers)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:19
25	0	((gasket and (vegetable adj fibers)) and fibrillated) and aramid	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:19
24	5	(gasket and (vegetable adj fibers)) and fibrillated	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:19
26	5	gasket and shives	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:22
27	0	(gasket and shives) and (vegetable adj fibers)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:20
28	8	((("5290627") or ("5232779") or ("5494748") or ("4197223")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:23
29	0	4197223.pn. and aramid	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:48

L Number	Hits	Search Text	DB	Time stamp
1	1345	vegetable adj fibers	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:08
2	28	(vegetable adj fibers) and fibrillated	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:08
3	3	((vegetable adj fibers) and fibrillated) and aramid	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:48
4	510	shives	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:10
5	4	shives and (vegetable adj fibers)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:12
6	787	plant adj fibers	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:12
7	16	(plant adj fibers) and fibrillated	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:12
9	0	((plant adj fibers) and fibrillated) and aramid) and shives	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:13
8	2	((plant adj fibers) and fibrillated) and aramid	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:13
10	136	reinforcing and (vegetable adj fibers)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:13
12	2	L11 and aramid	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:14
13	0	((reinforcing and (vegetable adj fibers)) and fibrillated) and aramid	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:14
11	5	(reinforcing and (vegetable adj fibers)) and fibrillated	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:15
14	714	processing adj fibers	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:15
15	1	(processing adj fibers) and shives	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:16
16	4	(vegetable adj fibers) and shives	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:16
17	365	tin adj sulfide	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:17

18	0	(tin adj sulfide) and (vegetable adj fibers)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:17
19	3821	friction adj lining	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:17
20	0	(friction adj lining) and (vegetable adj fibers)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:17
21	0	(friction adj lining) and shives	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:17
22	3	(friction adj lining) and (tin adj sulfide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:18
23	41	gasket and (vegetable adj fibers)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:19
25	0	((gasket and (vegetable adj fibers)) and fibrillated) and aramid	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:19
24	5	(gasket and (vegetable adj fibers)) and fibrillated	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:19
26	5	gasket and shives	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:22
27	0	(gasket and shives) and (vegetable adj fibers)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:20
28	8	((("5290627") or ("5232779") or ("5494748") or ("4197223"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:23
29	0	4197223.pn. and aramid	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/20 13:48

## Solid lubricants with a tin sulphide and carbon base

Patent Number: ☐ US6303545  
Publication date: 2001-10-16  
Inventor(s): H UUMLER RONALD (AT); KIENLEITNER HERBERT (AT); MILCZAREK ROMAN (AT); MELCHER BERNHARD (AT)  
Applicant(s): CHEMETALL GMBH (US)  
Requested Patent: ☐ DE19815992  
Application Number: US20000673004 20001006  
Priority Number(s): DE19981015992 19980409; WO1999EP02426 19990409  
IPC Classification: C10M103/02; C10M103/04  
EC Classification: C01G19/00, C10M103/00, C10M103/06, F16D69/02  
Equivalents: ☐ EP1070109 (WO9952997), A1, JP2002511517T, PL343175, ☐ WO9952997

### Abstract

The invention relates to tin sulfide- and carbon-based solid lubricants and solid lubricant combinations, methods for the production thereof as well as their use in friction liner mixtures and friction liners such as brake or clutch liners

Data supplied from the **esp@cenet** database - I2

## Claims

What is claimed is:

1. A method of producing a solid lubricant, comprising:  
forming a reaction mixture comprising metallic tin, sulfur and carbon;  
wherein the sulfur is present in the reaction mixture in an amount greater than a stoichiometric amount based on a formation of  $\text{SnS}_2$ , and wherein the carbon is present in the mixture in an amount of 0.5 wt % to 20 wt % of the mixture; and  
heating the mixture to a temperature of between 200 DEG C. to 1500 DEG C. to form a reaction product.
2. The method of claim 1 wherein the metallic tin is finely dispersed in the mixture.
3. The method of claim 1 wherein the sulfur is present in the mixture in an amount of up to 5% excess of a stoichiometric amount based on a formation of  $\text{SnS}_2$ .
4. The method of claim 1 wherein the carbon comprises graphite.
5. The method of claim 1 wherein the carbon is selected from the group consisting of a synthetic carbon and a carbon black.
6. The method of claim 1 wherein the carbon is present in the mixture in an amount of 2 wt % to 8 wt % of the mixture.
7. The method of claim 1 wherein the temperature is between 800 DEG C. and 1200 DEG C.
8. The method of claim 1 wherein the step of heating comprises heating for a period of between 0.1 hours to 6.0 hours.
9. The method of claim 8 wherein the step of heating is performed under an inert atmosphere.
10. The method of claim 1 wherein the reaction product predominantly comprises  $\text{SnS}_2$ .
11. The method of claim 1 further comprising cooling the reaction product and grinding the cooled reaction product to form a ground reaction product.
12. The method of claim 11 further comprising combining the ground reaction product with a friction liner mixture.
13. The method of claim 12 wherein the friction liner mixture is a brake liner mixture or a clutch liner mixture.
14. The method of claim 1 further comprising combining the reaction product with graphite, zinc sulfide, tin(II)-sulfide, sulfur, and a metal phosphate to produce a solid lubricant combination.
15. The method of claim 14 wherein the solid lubricant combination comprises the reaction product in an amount of between 2 wt % to 50 wt %, the graphite in an amount of between 2 wt % to 40 wt %, the zinc sulfide in an amount of between 2 wt % to 40 wt %, the tin(II)-sulfide in an amount of between 2 wt. % to 30 wt. %, the sulfur in an amount of between 1 wt. % to 5 wt. %, and the metal phosphate in an amount of between 2 wt. % to 40 wt. %.
16. The method of claim 15 wherein the metal phosphate is selected from the group consisting of aluminum phosphate, calcium phosphate, iron phosphate, magnesium phosphate, and zinc pyrophosphate.
17. A reaction mixture for the production of a solid lubricant, comprising:  
metallic tin, sulfur, and carbon;  
wherein the sulfur is present in the mixture in an amount greater than a stoichiometric amount based on a formation of  $\text{SnS}_2$ , and wherein the carbon is present in the mixture in an amount of 0.5 wt. % to 20 wt. % of the mixture; and  
wherein the reaction mixture forms a tin sulfide matrix predominantly comprising  $\text{SnS}_2$  when the mixture is

heated to a temperature of between 200 DEG C. to 1500 DEG C.

18. The mixture of claim 17 wherein the sulfur is present in the mixture in an amount of up to 5% excess of a stoichiometric amount based on a formation of  $\text{SnS}_2$ .

19. The mixture of claim 17 wherein the carbon is present in the mixture in an amount of 2 wt. % to 8 wt. % of the weight of the mixture.

20. The mixture of claim 17 wherein the carbon comprises graphite.

---

Data supplied from the **esp@cenet** database - I2